A Reg. No.:	$\mathbf{A}$	Reg. No. :										
-------------	--------------	------------	--	--	--	--	--	--	--	--	--	--

# **Question Paper Code: 54A02**

## B.E. / B.Tech. DEGREE EXAMINATION, NOV 2019

#### Fourth Semester

## Agriculture Engineering

### 15UAG402-POST HARVEST TECHNOLOGY

		(Regul	ation 2015)					
	(Usage of psychometric chat is approved)							
Duration: Three hours			Maximum: 100 Marks					
		Answer A	ALL Questions					
		PART A - (1	$0 \times 1 = 10 \text{ Marks})$					
1. 7	1. The following is an indirect type of moisture measurement method							
(	(a) Air oven		(b) desiccators					
(	(c) infrared		(d) electrical resistance					
2. A	A mixing type continu	ous flow dryer is		CO1- R				
(	(a) Flat bed dryer	(b) LSU dryer	(c) Recirculating dryer	(d) None of these				
3. I	Drying is a process of			CO2- R				
(	(a) Heat transfer		(b) Mass transfer					
(	(c) Heat and Mass tran	sfer	(d) Moisture transfer					
4. I	Recent innovation in b	elt conveyor system	m for grain handling is	CO2- R				
(	(a) Belt speed upto 4.5	m/s	(b) Belt speed from 2.5-	2.8 m/s				

(c) Belt speed upto 3.5 m/s
(d) Belt speed upto 5.5 m/s
A scalper is used for
(a) Fine separation of materials
(b) medium separation of materials
(c) rough separation of materials
(d) stone separation

6. \_\_\_\_\_ refers to the removal of large particles in initial process

(d) None of these

CO<sub>3</sub>-R

CO<sub>3</sub>-R

(a) Grading

(b) Sorting

(c) Scalping

7.	The following material handling equipment is more convenient to transport material over long distance					
	(a) S	Screw conveyor	(b) belt conveyor			
	(c) p	pneumatic conveyor	(d) bucket elevator			
8.	Gla	zing of rice is done using			CO4- R	
	(a) T	Talc powder (b) Hydrogen peroxic	de (c) Water	(d) $CO_2$		
9.	Lim	nitation of Pneumatic Conveying is/ are			CO5- R	
	(a) l	Erosion of solid surfaces	ystem			
	(c) l	Impact between particles				
10.	In r	In rubber roll sheller, the dehusking of paddy occurs due to				
	(a) S	Shear	(b) shear and impact			
	(c) s	shear and compression	(d) compression and	impact		
		PART - B (5 x	2= 10 Marks)			
11.	Def	ine equilibrium moisture content.			CO1- R	
12.	2. Differentiate thin layer and deep bed drying.					
13.	. List the separator which separates grains based on length.					
14.	4. Suggest a suitable material handling eqipment to transport bagged materials.					
15.	Mer	ntion the end products of wheat milling.			CO5- R	
		PART – C (5	x 16= 80 Marks)			
16.	(a)	Specify the importance of optimum stag working of mechanical thresher for pad Or	•	CO1- U	(16)	
	(b)	Describe the direct and indirect method measurement	s of moisture	CO1- U	(16)	
17.	(a)	Define seven thermodynamic propert importance in drying	ies of air and specify its	CO2- U	(16)	
	(b)	Or Explain the working of LSU dryer and neat sketch	d fluidized bed dryer with	CO2- Ana	(16)	
18.	(a)	Explain the working of spiral separator Or	and magnetic separator.	CO3- Ana	(16)	
	(b)	Explain the working of intended cylin	der separator and inclined	CO3- Ana	(16)	

belt separator.

19.	(a)	Describe working of maize sheller and groundnut decorticator	CO4- U	(16)
		Or		
	(b)	(i) Differentiate between discharge methods of bucket elevators.	CO4- Ana	(8)
		(ii) Explain in detail about elevator belt and drive mechanism of bucket elevator.	CO4- Ana	(8)
20.	(a)	Explain the working of rubber roll sheller and rice polisher.  Or	CO5- U	(16)
	(b)	Describe the process involved in wheat milling.	CO5- U	(16)