

Reg. No. :

--	--	--	--	--	--	--	--	--	--

Question Paper Code: 41002

B.E. / B.Tech. DEGREE EXAMINATION, NOV 2019

First Semester

Civil Engineering

14UMA102 - ENGINEERING MATHEMATICS – I

(Common to ALL branches)

(Regulation 2014)

Duration: Three hours

Maximum: 100 Marks

Answer ALL Questions.

PART A - (10 x 1 = 10 Marks)

- If 1 and 2 are the eigen values of 2×2 matrix A. what are the eigen values of A^2 .
(a) 1 & 2 (b) 1 & 4 (c) 2 & 4 (d) 2 & 3
- $\begin{vmatrix} 1 & 2 \\ 0 & 2 \end{vmatrix} =$
(a) 0 (b) 1 (c) 2 (d) 3
- Examine the nature of the series $1 + 2 + 3 + 4 + \dots + n + \dots \infty$
(a) divergent (b) convergent (c) oscillatory (d) linear
- The geometric series $1 + r + r^2 + r^3 + \dots + r^n + \dots$ converges if
(a) $r \leq 1$ (b) $r \geq 1$ (c) $r > 1$ (d) $r < 1$
- What is the radius of curvature at (3, 4) on the curve $x^2 + y^2 = 25$?
(a) 5 (b) -5 (c) 25 (d) -25

6. The envelope of the family of straight lines $y = mx + \frac{1}{m}$, m being the parameter is
 (a) $y^2 = -4x$ (b) $x^2 = 4y$ (c) $y^2 = 4x$ (d) $x^2 = -4y$
7. Let u and v be functions of x, y and $u = e^v$. Then u and v are
 (a) Functionally dependent (b) Functionally independent
 (c) Functionally linear (d) Functionally non-linear
8. A stationary point of $f(x, y)$ at which $f(x, y)$ has neither a maximum nor a minimum is called
 (a) Extreme point (b) Max-Min point
 (c) Saddle point (d) Nothing can be said
9. $\int_0^1 \int_0^2 \int_0^3 xyz dx dy dz$
 (a) 9 (b) $\frac{9}{4}$ (c) $\frac{9}{2}$ (d) $\frac{1}{9}$
10. By changing the order of integration, we get $\int_0^1 \int_0^y f(x, y) dx dy =$
 (a) $\int_0^1 \int_0^x f(x, y) dy dx$ (b) $\int_0^1 \int_x^1 f(x, y) dy dx$ (c) $\int_0^1 \int_y^1 f(x, y) dx dy$ (d) $\int_0^1 \int_0^x f(x, y) dy dx$

PART - B (5 x 2 = 10 Marks)

11. Verify Cayley-Hamilton theorem for the matrix $\begin{bmatrix} 5 & 3 \\ 1 & 3 \end{bmatrix}$.
12. Test the convergence of the series $\sum_1^{\infty} \frac{n!2^n}{n^n}$ by D'Alembert's Ratio test.
13. Find the radius of curvature of the curve $y = e^x$ at $x = 0$.
14. If $x = u^2 - v^2$ and $y = 2uv$, find the Jacobian of x and y with respect to u and v .
15. Evaluate $\int_0^2 \int_0^\pi r \sin^2 \theta d\theta dr$.

PART - C (5 x 16 = 80 Marks)

16. (a) Diagonalize the matrix by orthogonal transformation $\begin{bmatrix} 10 & -2 & -5 \\ -2 & 2 & 3 \\ -5 & 3 & 5 \end{bmatrix}$. (16)

Or

(b) Reduce the Q.F $x^2 + y^2 + z^2 - 2xy - 2yz - 2zx$ in to a canonical form by an orthogonal transformation. (16)

17. (a) (i) Show that the sum of the series $\frac{15}{16} + \frac{15}{16} \times \frac{21}{24} + \frac{15}{16} \times \frac{21}{24} \times \frac{27}{32} + \dots \infty = \frac{47}{9}$. (8)

(ii) Show that the series $1 - 2 + 3 - 4 + \dots \infty$ oscillates infinitely. (8)

Or

(b) Prove that if $b-1 > a > 0$, the series $1 + \frac{a}{b} + \frac{a(a+1)}{b(b+1)} + \frac{a(a+1)(a+2)}{b(b+1)(b+2)} + \dots$ converges. (16)

18. (a) (i) Find the radius of curvature at any point of the cycloid $x = a(\theta + \sin\theta)$ and $y = a(1 - \cos\theta)$. (8)

(ii) Find the evolute of the parabola $y^2 = 4ax$. (8)

Or

(b) (i) Find the evolute of the curve $x = a(\cos t + t \sin t)$, $y = a(\sin t - t \cos t)$. (8)

(ii) Find the envelope of the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$, where a and b are connected by the relation $a^2 + b^2 = c^2$, c being a constant. (8)

19. (a) (i) Find the Taylor's series of $e^x \log(1 + y)$ in powers of x and y up to third degree terms. (8)

(ii) Find the maximum value of $f(x, y) = \sin x \sin y \sin(x + y)$; $0 \leq x, y < \pi$. (8)

Or

(b) (i) If $g(x, y) = \psi(u, v)$, where $u = x^2 - y^2$, $v = 2xy$, then prove that

$$\frac{\partial^2 g}{\partial x^2} + \frac{\partial^2 g}{\partial y^2} = 4(x^2 + y^2) \left(\frac{\partial^2 \psi}{\partial u^2} + \frac{\partial^2 \psi}{\partial v^2} \right). \quad (8)$$

(ii) Find the Jacobian of y_1, y_2, y_3 with respect to x_1, x_2, x_3 where $y_1 = \frac{x_2 x_3}{x_1}$, $y_2 = \frac{x_1 x_3}{x_2}$,

$$y_3 = \frac{x_1 x_2}{x_3}. \quad (8)$$

20. (a) (i) Change the order of integration and evaluate $\int_0^1 \int_{x^2}^{2-x} xy \, dy \, dx$. (8)

(ii) Evaluate $\iiint \frac{dx \, dy \, dz}{\sqrt{1 - x^2 - y^2 - z^2}}$ for all positive values of x, y, z for which the

integral is real. (8)

Or

(b) (i) Evaluate $\iint_S z^3 \, dS$, where S is the positive octant of the surface of the sphere. (8)

(ii) Evaluate $\iiint_V xyz \, dx \, dy \, dz$, where V is the volume of space inside the tetrahedron

bounded by the planes $x = 0, y = 0, z = 0$ and $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 1$. (8)
