| A | | Reg. No. : | | | | | | | | |
|------|--|--------------------------|--------------------------------------|--------------------|--|--|--|--|--|--|
| | | Question Paper | r Code: 54023 | | | | | | | |
| | B.E. | /B.Tech. DEGREE EX | KAMINATION, NOV 2019 | | | | | | | |
| | | Fourth S | Semester | | | | | | | |
| | | Mechanical | Engineering | | | | | | | |
| | 15UMA | 423 - STATISTICS A | ND NUMERICAL METHO | DS | | | | | | |
| | (Regulation 2015) | | | | | | | | | |
| | | - | may be permitted) | | | | | | | |
| Dura | ation: Three hours | Υ. | | kimum: 100 Marks | | | | | | |
| | Answer ALL Questions | | | | | | | | | |
| | | | x 1 = 10 Marks) | | | | | | | |
| 1. | If an individual rejec | ets a true null hypothes | is, then she/he has | CO1- R | | | | | | |
| | (a) Type I error | (b) Type II error | (c)) one tailed | (d) two tailed | | | | | | |
| 2. | 2. The form of the alternative hypothesis can be: CO1- R | | | | | | | | | |
| | (a) one-tailed | | (b) two-tailed | | | | | | | |
| | (c) neither one nor t | wo-tailed | (d) Type I error | | | | | | | |
| 3. | Degree of freedom for | or SSE in RBD is | | CO2- R | | | | | | |
| | (a) (c-1)(r-1) | (b) (c-1) | (c) (r-1) | (d) n-k | | | | | | |
| 4. | The conclusion of A | NOVA based on | | CO2- R | | | | | | |
| | (a) F-test | (b) t-test | (c) Chi-Square test | (d) Normal | | | | | | |
| 5. | Iteration method is a | | | CO3- R | | | | | | |
| | (a) direct method | | (c) self correcting method | (d) step by step | | | | | | |
| 6. | What is the order of | convergence of Newto | _ | CO3- R | | | | | | |
| | (a) 1 | (b) 2 | (c) 3 | (d) 4 | | | | | | |
| 7. | | ence operator is denote | • • | CO4- R | | | | | | |
| 0 | (a) nable | (b) delta | (c) omege | (d) alpha | | | | | | |
| 8. | - | gence of cubic spline is | | CO4- R | | | | | | |
| 0 | (a) 4 What is the restricti | (b) 6 | (c) 8 intervals for Simpson's 2/8 | (d) 2 | | | | | | |
| 9. | rule? | | intervals for Simpson's 3/8 | | | | | | | |
| | (a) Odd | (b) Even | (c) Multiple of 3 | (d) None | | | | | | |
| 10. | - | s applicable only when | | CO5- R | | | | | | |
| | (a) multiple of 3 | - | - | (d) multiple of 24 | | | | | | |
| | | PART - B (5 x) | x 2= 10 Marks) | | | | | | | |

| 11. | Define null hypothesis and alte | | CO1- R | | | | | |
|-----|--|------|--------|----|-----|--|--|----------|
| 12. | What are the principles of desi | | CO2- R | | | | | |
| 13. | State Newton's algorithm for f | | CO3- R | | | | | |
| 14. | Find the divided difference table for the following data | | | | | | | CO4- App |
| | _ | | | | | | | |
| | | | | | | | | |
| | t | f(x) | 5 | 29 | 109 | | | |

15. Evaluate $\int_{-1}^{1} |x| dx$ with two sub intervals by Trapezoidal rule

 $PART - C (5 \times 16 = 80 Marks)$

16. (a) (i) Two independent samples of 8 and 7 items respectively had CO1- App the following values.

| Sample 1 | 9 | 11 | 13 | 11 | 15 | 9 | 12 | 14 |
|----------|----|----|----|----|----|---|----|----|
| Sample 2 | 10 | 12 | 10 | 14 | 9 | 8 | 10 | |

Is the difference between the means of the samples significant?

(ii) 1,000 students at college level are graded according to their CO1- App (8)I.Q and their economic conditions. Use the Chi-Square test to find out whether there is any association between economic conditions and the level of I.Q

| Economic | I.Q | | | | | | |
|------------|------|--------|-----|-------|--|--|--|
| Conditions | High | Medium | Low | Total | | | |
| Rich | 160 | 300 | 140 | 600 | | | |
| Poor | 140 | 100 | 160 | 400 | | | |
| Total | 300 | 400 | 300 | 1000 | | | |
| Or | | | | | | | |

(b) (i) Two independent samples of sizes 9 and 7 from a normal CO1- App population had the following values of the variables. Do the estimates of the population variances differ significantly at 5% level?

Sample1 18 13 12 15 12 14 16 14 15 16 19 13 16 18 13 15 Sample2

(ii) The theory predicts that the proportion of beans in the four CO1- App (8)groups A,B,C, and D should be 9:3:3:1. In an experiment among 1600 beans, the numbers in the four groups were 882, 313, 287 and 118. Do the experimental results support the theory.

CO₅- App

(8)

(8)

17. (a) A vertical trail was conducted at a Research station. The research CO2- Ana (16) adopted for the same was five Randomized blocks of 6 plots each the yields in lb per plot (of 1/20) of an area obtained from the experiment are given in the following table

| Blocks | Varieties | | | | | | | |
|--------|-----------------------|-----------------------|-----------------------|-------|-----------------------|----------------|--|--|
| DIOCKS | V ₁ | V ₂ | V ₃ | V_4 | V ₅ | V ₆ | | |
| Ι | 30 | 23 | 34 | 25 | 20 | 13 | | |
| II | 29 | 22 | 28 | 25 | 28 | 32 | | |
| III | 56 | 43 | 43 | 31 | 49 | 17 | | |
| IV | 38 | 45 | 36 | 35 | 32 | 20 | | |
| V | 44 | 51 | 23 | 58 | 40 | 30 | | |

Analyse the design and comment on your findings

Or

(b) The following data resulted from an experiment to compare three CO2- Ana (16) burners B1, B2, and B3. A Latin square design was used as the tests were made on 3 engines and were spread over 3 days.

| | Engine-1 | Engine-2 | Engine-3 |
|-------|----------|----------|----------|
| Day-1 | B1-16 | B2-17 | B3-20 |
| Day-2 | B2-16 | B3-21 | B1-15 |
| Day-3 | B3-15 | B1-12 | B2-13 |

18. (a) (i) Solve the system of equations by Gauss seidel method CO3- App (8)

27x + 6y - z = 85x + y + 54z = 1106x + 15y + 2z = 72

(ii) Using Gauss Jordan method find the inverse of the matrix CO3- App (8) $\begin{pmatrix} 2 & 2 & 3 \\ 2 & 1 & 1 \\ 1 & 3 & 5 \end{pmatrix}$

3

(b) (i) Find a root of $x \log_{10} x - 1.2 = 0$ by Newton Raphson method CO3- App (8) correct to three decimal places.

(ii) Using Gauss-Jordan method, find the inverse of CO3- App (8)

$$A = \begin{bmatrix} 1 & 1 & 3 \\ 1 & -3 & 3 \\ -2 & -4 & -4 \end{bmatrix}.$$

19. (a) Find f(8) by Newton's divided difference formula for the CO4- Ana (8) following data

| x: | 4 | 5 | 7 | 10 | 11 | 13 |
|------------------------|----|-----|-----|-----|------|------|
| <i>f</i> (x): | 48 | 100 | 294 | 900 | 1210 | 2028 |

(ii) Find the polynomial f(x) by using Lagrange's formula and CO4- Ana (8) hence find f(3) for

| Х | 0 | 1 | 2 | 5 | | | |
|------|---|---|----|-----|--|--|--|
| f(x) | 2 | 3 | 12 | 147 | | | |
| Or | | | | | | | |

(b) The population of a town is as follows.

CO4- Ana (16)

| · · · · | | | | 1 | | |
|---------------------|------|------|------|------|------|------|
| Year | 1941 | 1951 | 1961 | 1971 | 1981 | 1991 |
| Population in Lakhs | 20 | 24 | 29 | 36 | 46 | 51 |

Estimate the population increase during the period 1946 to 1976.

20. (a) (i) Calculate $\int_{0.5}^{0.7} e^{-x} \sqrt{x} dx$ taking 5 ordinates by Simpson's 1/3 CO5-E (8)

rule.

(ii) Evaluate $\int_{0}^{\pi/2} \int_{0}^{\pi/2} \sqrt{\sin(x+y)} \, dx \, dy$ by using double integration of CO5- E (8) Simpson's rule

Or

(b) Evaluate $\int_{0}^{1} \frac{dx}{1+x^2}$ by using Romberg's method correct to 4 decimal CO5- E (16) places. Hence deduce un approximate value of π