Reg. N	No. :
--------	-------

Question Paper Code: 55502

B.E. / B.Tech. DEGREE EXAMINATION, NOV 2019

Fifth Semester

Electronics and Instrumentation Engineering

15UEI502 - INDUSTRIAL INSTRUMENTATION – II

(Regulation 2015)

Duration: Three hours

Maximum: 100 Marks

Answer ALL Questions

PART A - (10 x 1 = 10 Marks)

1. In metering dirty fluids, slurries and fluids containing solids, what type of orifice plate is used

(a) Concentric	(b) Eccentric	(c) Segmental	(d) Quadratic
----------------	---------------	---------------	---------------

2. The Target flow meters comes under

(a) Mechanical type	(b) Electrical type
(c) Inferential type	(d) Mass flow type

- 3. The anemometer is used to measure the flow rate of fluids by measuring velocity of
 - (a) Conducting liquid (b) semi conducting liquid
 - (c) Non conducting liquid (d) Viscous liquid

4. Ultrasonic level measurement is not suitable for

- (a) Liquids (b) slurries
- (c) granular (d) interfaces
- 5. Which of the following is a direct level measurement?
 - (a) Air trap method (b) float level gauge
 - (c) Diaphragm box method (d) ultrasonic method

The boiler drum level measurement is based on 6. (a) density (b) differential pressure (c) viscosity (d) ultrasonic method The ultrasonic refers to the frequency in the range of 7. (a) 20 to 2000KHz (b) 20 to 2000Hz (c) 20 to 2000MHz (d) 20 to 2000Hz 8. The air purge or bubbler systems can exceed pressure of liquid at (d) $3kg/cm^2$ (a) 0.1kg/cm^2 (b) 5kg/cm^2 (c) 0.01kg/cm^2 9. A solution which reached the limit of solubility is called as (a) Dew point solution (b) Saturated solution (c) Absorbed solution (d) Cavity solution 10. For continuous recording and control of relative humidity, electrical transducers of _____ type are widely used.

(a) Thermistor	(b) Dun more
(c) RTD	(d) Dew cells

PART - B (5 x 2 = 10 Marks)

- 11. How did impeller works in mass flow meters?
- 12. Write the principle of vortex shedding flow meter operates.
- 13. Mention the advantages of sight glass level instrument.
- 14. Mention the important considerations in the use of float for level measurement.
- 15. Calculate Dew point using difference in temperature in dry and wet bulb Psychrometer?

PART - C (5 x 16 = 80 Marks)

16. (a) Pressure before orifice plate rises and pressure after it reduces but velocity increases-Justify the statement. Describe its construction and Working in detail.

(16)

Or

(b) State coriolis principle. Discuss how it is applied to measure the mass flow rateOf given medium directly with a help of neat sketch. (16)

17. (a) (i) With a neat diagram explain about the construction and working operation of Electromagnetic flow meter and also discuss its advantages and limitations.

(10)

(ii) Explain the excitation schemes of an Electromagnetic flow meter. (6)

Or

- (b) (i) State Karman's Principle and show the flow velocity is proportional to Vortex frequency. (16)
- 18. (a) (i) Explain in detail about different types of Level detectors used in Level measurement. (8)
 (ii) How liquid level is measured using float and displacer sensor? (8)

Or

- (b) (i) Illustrate the type of level measurement in which the Elapsed time between the transmitting and receiving pulse is related to level. (8)
 - (ii) Explain in detail how the level is measured by using Capacitance and Resistance Tapes.
- 19. (a) (i) Draw and explain different types of Contact level sensors. (8)
 - (ii) Discuss how level can be measured using optical level sensor. (8)

Or

- (b) (i) Describe a technique of measurement of liquid level or solid level
 using radioactive sources and detectors. How can this method be
 (8) adopted in batch filling process.
 - (ii) Explain in detail how the level is measured by using Capacitance and Resistance Tapes.(8)

20. (b) Describe the working principle of Rota meter type viscosity measurement. Mention the effect of temperature on viscosity. State the application of viscosity measurements in process industries. (16)

Or

- (b) (i) Give the Wavelength of IR rays in which the attenuation of wavelength changes as moisture changes and explain it by using an hygrometer. (8)
 - (ii) How moisture can be measured in solid penetrable materials like wood and web type materials? Explain it with an example.(8)