| Reg. No.: | | | | | |
|-----------|--|--|--|--|--|
| | | | | | |

Question Paper Code: 39209

B.E. / B.Tech. DEGREE EXAMINATION, DEC 2020

Elective

Computer Science and Engineering

01UCS909 - C# AND .NET FRAMEWORK

(Regulation 2013)

Duration: 1.15 hrs Maximum: 30 Marks

PART A - $(6 \times 1 = 6 \text{ Marks})$

(Answer any six of the following questions)

Select the relevant output for the following set of code

```
static void Main(string[] args)
byte varA = 10;
byte varB = 20;
long result = varA & varB;
Console.WriteLine("{0} AND {1} Result :{2}", varA, varB, result);
varA = 10;
varB = 10;
result = varA & varB;
Console.WriteLine("{0} AND {1} Result : {2}", varA, varB, result);
Console.ReadLine();
 }
```

(a) 0, 20

(b) 10, 10

(c) 0, 10

(d) 0, 0

| 2. | What does the term 'immutable' means in term of string objects? | | | | | | | | |
|--|---|---------------------|---|---------------------------|--|--|--|--|--|
| | (a) We can modify characters included in the string(b) We cannot modify characters contained in the string(c) We cannot perform various operation of comparison, inserting, appending etc(d) None of these | | | | | | | | |
| 3. | The capability of an object in C sharp to take number of different forms and hence display behavior as according is known as | | | | | | | | |
| | (a) Encapsulation(c) Abstraction | | (b) Polymorphism(d) None of these | | | | | | |
| 4. | A type of class which subclass is known as | does not have | its own objects but act | s as a base class for its | | | | | |
| | (a) Static class | (b) Sealed class | (c) Abstract class | (d) None of these | | | | | |
| 5. | . What is the name of the property of ASP.NET page that you can query to determine that ASP.NET page is being requested not data being submitted to web server? | | | | | | | | |
| | (a) FirstGet | (b) Initialized | (c) IncludesData | (d) IsPostBack | | | | | |
| 6. Syntax for closing and opening the connection in ADO.net is | | | | | | | | | |
| | (a) sqlconn.Open() and sqlConn.close() (b) sqlConn.open() and sqlConn.Close(c) sqlConn.Open() and sqlConn.Close() (d) None of these | | | | | | | | |
| 7. | In ASP.NET applicatio | n DLL files are st | cored in | | | | | | |
| | (a) APP_Code (c) Bin | | (b) APP_Data(d) APP_LocalResources | | | | | | |
| 8. | Application_Start event is available in which file? | | | | | | | | |
| | (a) Global.asax(c) Web.config | | (b) Local.asax(d) None of these | | | | | | |
| 9. | Contents of assembly fi | ile can be investig | gated using | | | | | | |
| | (a) ILDASM.exe (c) ILDASM.inc | | (b) ILDASM.dll (d) ILDASM.aspx | | | | | | |
| | | | | | | | | | |

| 10. | The | property | signifies | "Obtains | a | Module | object | that | represents | the | module | (an |
|-----|-------|-------------|------------|------------|-----|-----------|----------|-------|-------------|-------|-----------|-------|
| | exec | utable file |) in which | the reflec | ted | type resi | ides". C | hoose | the propert | ty wł | nich spec | ifies |
| | the f | ollowing s | tatement: | | | | | | | | | |

(a) Type DeclaringType

(b) int MetadataToken

(c) Module Module

(d) Type ReflectedType

 $PART - B (3 \times 8 = 24 \text{ Marks})$

(Answer any three of the following questions)

- 11. Create a C# program to merge two arrays into a single sorted array. (8)
- 12. Explain in detail about Interfaces in C# with example. (8)
- Write a windows application in C# for emulating a very basic calculator that performs addition, subtraction, multiplication and division operations. (8)
- 14. Explain in detail about the lifecycle of a web forms. (8)
- 15. Develop an application which requires simple and compound marshalling, Explain how these are performed. (8)