•	
$\Delta$	
$\boldsymbol{\Box}$	

Reg. No.:					

## **Question Paper Code: 55104**

## B.E./B.Tech. DEGREE EXAMINATION, NOV 2018

Fifth Semester

Civil Engineering

## 15UCE504 ENVIRONMENTAL ENGINEERING

(Regulation 2015)

Duration: Three hours Maximum: 100 Marks

Duration, Tinee hours			Maximum.	100 Marks	
		Answer ALI	Questions		
		PART A - (10 x	1 = 10 Marks)		
1.	The suitable method for forecasting population for a young and rapidly developing city is				
	<ul><li>(a) Arithmetic mea</li><li>(c) Comparative gr</li></ul>		<ul><li>(b) Geometric mean meth</li><li>(d) None of these</li></ul>	nod	
2.	The devices whic sources, are called		ing water from different	CO1- R	
	(a) Filters	(b) Intakes	(c) Outlets	(d) Inlets	
3.	Slow sand filters normally	when compared to ra	pid gravity filters, may	CO2- R	
	(a) 5 times slower	(b) 10 times slower	(c) 20 times slower	(d) 30 times slower	
4.	Activated carbon is used in water treatment for removing				
	(a) Colour	(b) Tastes and odours	(c) Turbidity	(d) Corrosiveness	
5.	The maximum pre operation is	ssure, which a water pipe	e is subjected to during its	CO3- R	
	(a) Pipe pressure	(b) Working pressure	(c) Design pressure	(d) Test pressure	

6.	main - lines	usually provided in	pressure pipes of water  (b) At pipe joints	CO3- R			
	(a) At low points		(b) At pipe joints	. 1.			
	(c) At summits		(d) Near junction of serv				
7.	The most suitable so	ection of a sewer in a	separate sewerage system is	CO4- R			
	(a) Rectangular	(b) Circular	(c) Egg shape	(d) Parabolic			
8.	Corrosion of concre	ete sewers occurs due	to	CO4- R			
	(a) Aerobic decomposition of sewage solids						
	(b) Anaerobic decomposition of sewage solids						
	(c) High pH value if the sewage						
	(d) None of the abo	ve					
9.	Water seal in traps g	generally varies from		CO5- R			
	(a) 25-50 mm	(b) 10-50 mm	(c) 25-75mm	(d) 50-100 mm			
10.	In primary settling t	CO5- R					
	(a) 10 to 20%	(b) 20 to 40%	(c) 40 to 70%	(d) 70 to 90 %			
		PART – B (	5 x 2= 10Marks)				
11.	Define: Design peri	CO1- R					
12.	Differentiate between	CO2- U					
13.	List out the differen	CO3- U					
14.	Differentiate sewag	CO4- U					
15.	What is biogas reco	CO5- U					
		PART – C	C (5 x 16= 80Marks)				
16.		various sources of eir quality and quantit	water? Discuss them with	CO1- U (16)			
		Or					
	` '	scribe a river intake.	Enumerate the factors to be	CO1- U (16)			

17.	(a)	Explain the process of sedimentation in the treatment of water. Discuss the difference between plain sedimentation and coagulation. State the design data in each case.	CO2- U	(16)
		Or		
	(b)	Explain the water softening process and desalination techniques.	CO2- U	(16)
18.	(a)	Explain with neat sketch of the layout of distribution systems which are commonly used in india.	CO3- U	(16)
		Or		
	(b)	Explain various types of distribution system for water supply	CO3- U	(16)
19.	(a)	(i) Discuss the significance of total solids and BOD in determining the characteristics of sewage.	CO4- U	(8)
		(ii) Discuss the systems of sewerage with its merits and demerits.	CO4- U	(8)
		Or		
	(b)	(i) Write down the procedure for laying and testing of sewer lines with neat diagram.	CO4- U	(8)
		(ii) Describe about the various types of pumps used for lifting the sewage.	CO4- U	(8)
20.	(a)	Describe about the component parts of septic tank, its advantages and disadvantages with neat sketches.  Or	CO5- U	(16)
	(b)	Write short notes on	CO4- U	(8)
		(i) Wastewater reclamation		
		(ii) Sewage disposal to sea water	CO4- U	(8)