|           | - 1 |
|-----------|-----|
| Reg. No.: | ŀ   |

# Question Paper Code: 91410

B.E./B.Tech. DEGREE EXAMINATION, NOVEMBER/DECEMBER 2014.

#### Fifth Semester

## Electrical and Electronics Engineering

## EC 2311/EE 54/10144 EE 501— COMMUNICATION ENGINEERING

(Regulation 2008/2010)

(Common to PTEC 2311 – Communication Engineering for B.E. (Part-Time) Fifth Semester – Electrical and Electronics Engineering – (Regulation 2009)

Time: Three hours

Maximum: 100 marks

### Answer ALL questions.

PART A — 
$$(10 \times 2 = 20 \text{ marks})$$

- 1. A transmitter radiates 9 KW with the carrier unmodulated and 10.125 KW when carrier is sinusoidally modulated. Calculate the modulation index.
- 2. Why is VSB preferred for TV video transmission?
- 3. Draw the block diagram of an Adaptive modulator.
- 4. What are the two primary differences between MSK and QPSK?
- 5. An analog signal is band limited to BHz, sampled at the Nyquist rate, and the samples are quantized into 4 levels. The Quantization levels  $Q_1, Q_2, Q_3$  and  $Q_4$  are assumed to be independent and occur with probabilities  $P_1 = P_4 = \frac{1}{8}$  and  $P_2 = P_3 = 3/8$ . Find the information rate of the source.
- 6. List the properties of Hamming distance.
- 7. What are the popular coding sequences of CDMA system?
- 8. Give out the merits of TDMA system.
- 9. Briefly comment on the aperture actuators used in satellite.
- 10. What is SCADA?

#### PART B — $(5 \times 16 = 80 \text{ marks})$

11. (a) Name the methods used for the supression of unwanted side band in AM transmission? Discuss the working of any one of them.

Or

- (b) (i) Compare the features of FM with AM. Also write the merits and demerits of FM. (6)
  - (ii) Discuss the Armstrong method of FM generation. (10)
- 12. (a) (i) Discuss on the process "companding" and its characteristics. (6)
  - (ii) How does Flat top sampling differ from natural sampling? Illustrate also obtain the filtered output? (10)

Or

- (b) Explain QPSK with a block diagram and spectrum. Also discuss the phasor diagram for sinusoids.
- 13. (a) For the given 8 bit steam 11010100, plot the NRZ, RZ, AMI, HDBP, differential Manchester codes.

Or

- (b) Discuss the viter bi algorithm by showing the possible paths through the trellis of a coder. Assume the state diagram of any coder.
- 14. (a) 500 users employ FDMA to transmit 1000-bit packets of data. The channel band width is 100 MHz and QPSK is used at each of the 500 carrier frequencies employed
  - (i) What is the maximum bandwidth allocated to each user?
  - (ii) What is the bit rate employed by each user?
  - (iii) How long does it take to transmit a packet?

Or

- (b) Draw a typical TDMA system. Explain the operation with the time pattern.
- 15. (a) Discuss broadly on the multiple access techniques used in satellite communication.

Or

- (b) Describe the following.
  - (i) Optical detectors and their types.
  - (ii) Satellite types.
  - (iii) Digital filters used in satellite systems.
  - (iv) Optical link.