		i 1		 	 		 <u> </u>	
Reg. No.:		· .	·			:		

# Question Paper Code: 60467

## B.E./B.Tech. DEGREE EXAMINATION, NOVEMBER/DECEMBER 2016.

#### Seventh Semester

## Electronics and Communication Engineering

## EC 2401/EC 71/10144 EC 701 — WIRELESS COMMUNICATION

(Regulations 2008/2010)

(Common to PTEC 2401 – Wireless Communication for B.E. (Part-Time) Sixth Semester – Electronics and Communication Engineering – Regulations 2009)

Time: Three hours

Maximum: 100 marks

### Answer ALL questions.

## $PART A - (10 \times 2 = 20 \text{ marks})$

- 1. Define: Frequency reuse.
- 2. State the operating principle of adhoc networks.
- 3. Define Co-channel Interference.
- 4. Define Coherence time.
- 5. Give the expression for bit error probability of Gaussian Minimum shift keying modulation.
- 6. What is fading and Doppler spread?
- 7. Assume four branch diversity is used, where each branch receives an independent Rayleigh fading signal. If the average SNR is 20 dB, determine the probability that the SNR will drop below 10 dB. Compare this with the case of a single receiver without diversity.
- 8. Define coding gain.
- 9. Characterize the effects of multipath propagation on Code Division Multiple Access.
- 10. What are the basic channels available in GSM?

## PART B — $(5 \times 16 = 80 \text{ marks})$

11.	(a)		cuss the types of services, requirements, spectrum limitations of wireless communications.	ns and (16)
	•	•	Or	
	(b)	_	lain the principle of Cellular Networks and various types of laniques.	Handoff (16)
<b>12</b> .	(a)	(i)	Explain the time-variant two-path model of a wireless prop channel.	agation (8)
		(ii)	Brief about the properties of Rayleigh distribution.	(8)
			Or	
	(b)	(i)	Explain the narrow band modeling methods for Short scale and Long scale fading.	fading (10)
		(ii)	Brief about the properties of Nakagami distribution.	(6)
13.	(a)	(i)	Briefly explain the structure of a Wireless communication lin	ık. (6)
		(ii)	With block diagram, explain the MSK transmitter and r Derive an expression for MSK and its power spectrum.	eceiver. (10)
			$\mathbf{Or}$	
	(b)	Der	ive an expression for :	
		(i)	M-ary phase shift keying and	(8)
		(ii)	M-ary quadrature amplitude modulation.	
		•	Also derive an expression for their bit error probability.	(8)
14.	(a)	Exp	lain in detail about space diversity with necessary diagrams.	
	•		Or	
	<b>(b</b> )	Deri	ive the LMS Algorithm for an Adaptive Equalizer.	
<b>15</b> .	(a)	Exa	mine about the effects of multipath propagation on CDMA.	(16)
			Or	
•	(b)	(i)	Illustrate the block diagram of IS-95 transmitter.	(8)
		(ii)	Give a detailed description of OFDM transceiver.	(8)
•				