

Reg. No. :

|  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|

**Question Paper Code: 58966**

B.E. / B.Tech. DEGREE EXAMINATION, MAY 2018

One credit Course

Chemical Engineering

15UCH866 - POLLUTION CONTROL ENGINEERING

(Regulation 2015)

Duration: 1.30 hours

Maximum: 100 Marks

Answer ALL Questions

PART A - (10 x 1 = 10 Marks)

1. CPCB, a technical wing works under the Ministry of CO1-R  
(a) Environment and Forest (b) Health  
(c) Rural Development (d) Urban Development
2. Excess fluoride in water may cause CO1-R  
(a) straining of teeth excess (b) urine  
(c) diarrhoea (d) inflammation of liver
3. First emission norms were introduced for petrol Engine in the year CO1-R  
(a) 1981 (b) 1991 (c) 1995 (d) 1997
4. This is not a Green House gases CO1-R  
(a) CH<sub>4</sub> (b) N<sub>2</sub>O (c) O<sub>3</sub> (d) N<sub>2</sub>
5. Which pollutant gas dissolved with human blood faster than oxygen CO1-R  
(a) SO<sub>2</sub> (b) CO (c) O<sub>3</sub> (d) N<sub>2</sub>O
6. The Pollution Standard Index (PSI) scale has span from CO2-R  
(a) 0-200 (b) 0-300 (c) 0-400 (d) 0-500
7. The size of suspended solids lies in the range of CO2-R

