Reg. No. :											
------------	--	--	--	--	--	--	--	--	--	--	--

Question Paper Code: 49408

B.E. / B.Tech. DEGREE EXAMINATION, MAY 2018

Elective

Electronics and Communication Engineering

14UEC908 - HIGH SPEED NETWORKS

(Regulation 2014)

Duration: Three hours

Maximum: 100 Marks

Answer ALL Questions

PART A - (10 x 1 = 10 Marks)

1. What is the number of separate protocol layers at the serial interface gateway specified

(a) 4	(b) 2
(c) 6	(d) 3

2. Which is not the service of IEEE 802.11?

(a) Association (b) Reassociation (c) Disassociation (d) None of these

3. _____ process counts the number of arrivals, each of which has a exponentially distributed time between arrival.

(a) Kendalls notation	(b) Markov arrival
(c) Poisson	(d) Little's law

4. _____ can be applied in a logical connection used for connection oriented network to reduce traffic.

(a) Back pressure	(b) Policing
(c) Chock packet	(d) Implicit congestion signaling

5.	5. Which is the retransmission strategy in the implementation of TCP?						
	(a) First-only (b) Batch	(c) Individual (d) All the above					
6.	In ABR mechanism, has feedba	ack to the source concerning congestion.					
	(a) Closed loop control	(b) Open loop control					
	(c) Both (a) and (b)	(d) None of these					
7.	7 is the process of setting the DS code point in a packet.						
	(a) Behaviour Aggregate	(b) Classifier					
	(c) Marking	(d) Dropping					
8.	8. A router that supports DS policies is called as						
	(a) DS node	(b) DS interior node					
	(c) DS boundary node	(d) DS external node					
9.	specifies a distinct reservation for	or each sender and provides an explicit list of					
	senders.						
	(a) Wild-card-filter style	(b) Fixed-filter style					
	(c) Shared-explicit style	(d) Shared-implicit style					
10.	10 specifies a distinct reservation for each sender and provides an explicit list of						
	senders.						
	(a) Wild-card-filter style	(b) Fixed-filter style					
	(c) Shared-explicit style	(d) Shared-implicit style					
	PART - B (5 x 2	z = 10 Marks)					
11. Differentiate frame relay from X.25 packet switching services							
12.	What are the single server queues.						

13. Define sustainable cell rate. What is the use of SCR?

14. List the design goals of RED.

15. Define RSVP.

```
PART - C (5 x 16 = 80 Marks)
```

16. (a) Explain about the IEEE 802.11 architecture in detail.

(16)

(b) Explain about the IEEE 802.11 architecture in detail.	(16)
---	------

- 17. (a) (i) Give the fundamental task of queuing analysis? What are the different ways of developing a queuing model? Explain how analysis is done for various models.
 - (ii) Explain about single server queue. (8)

Or

- (b) (i) Describe the effects of congestion. Explain the various congestion control techniques.(8)
 - (ii) Explain the various frame relay congestion control techniques. (8)
- 18. (a) Explain the retransmission timer management techniques used in TCP and also explain the window management techniques used in TCP for congestion control. (16)

Or

(b) Describe about GFR traffic management. (16)

- 19. (a) (i) List out the components of ISA? Explain.
 - (ii) Illustrate with example and explain Fair Queuing (FQ) and Bit Round Fair Queuing (BRFQ).

Or

(b) Show how random early detection is used to control congestion in networks. (16)

20. (a) Describe in detail about MPLS and its operation. (16)

Or

(b) Explain the Resource Reservation Protocol (RSVP) operation by giving its goals and characteristics.
(16)

(8)

(8)

#