

Output:H-1,e-1,l-2,o-1

1

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

(ii) Write a program to print the area of a rectangle by creating a CO2-App (8) class named 'Area 'taking the values of its length and breadth as parameters of its constructor which returns the area of the rectangle. Length and breadth of rectangle are entered through key board.

Or

- (b) (i) Write a program to find the number of vowels, consonants CO2-App (8), digits and white space characters in a string.
 (ii) Create a class named 'Rectangle 'with two data members CO2-App (8) length and breadth and a method to calculate the area which is 'length*breadth'. The class has two constructors which are:
 A) Having no parameter values of both length and breadth are assigned zero.
 B) Having two numbers as parameters the two numbers are assigned as length and breadth respectively.
 Now, create objects of the 'Rectangle' class having none and two parameters and print their areas.
- (a) Creates a class hierarchy for employees of a company. The base CO2-App (16) class should be Employee, with subclasses Manager, Developer, and Programmer. Each subclass should have properties such as name, address, salary, and job title. Implement methods for calculating bonuses, generating performance reports, and managing projects.

Or

- (b) Create a class with a method that prints "This is parent class" and CO2-App (16) its subclass with another method that prints "This is child class". Now, create an object for each of the class and call.
 1-method of parent class by object of parent class
 2-method of child class by object of child class
 3-method of parent class by object of child class
- 13. (a) Explain the concept of interfaces in Java with suitable examples CO1-U (16) and mention the purpose and usage of interfaces.

Or

(b) What is a package in Java? How to create a package in Java? How CO1-U (16) to import and use classes from external packages.

- 14. (a) Write a program to create a Bank Demo application in which user CO2-App (16)can withdraw and deposit amount. If the user withdraws more than the balance, the user Should be given a warning of insufficient funds to with draw using exception handling class. Or Creates three threads. First thread generates random integer every 1 (b) CO2-App (16)second and if the value is even, second thread computes the square of the number and prints. If the value is odd, the third thread will print the value of cube of the number. Describe any three layout managers in Java with examples. 15. (a) CO1-U (16)Or Explain about the following User Interface components of AWT: (b) CO1-U (16)(i) Labels (ii) Button (iii) Check box
 - (iv) List Box

U9C04

U9C04