| Reg. No. : |
|------------|
|------------|

Question Paper Code: 99119

B.E. / B.Tech DEGREE EXAMINATION, NOV 2022

Elective

Civil Engineering

| | | 19UCE919 CONC | CRETE TECHNOLOGY | | | |
|-----|--|---------------------|----------------------------------|----------------|---------|--|
| | | (Regu | lations 2019) | | | |
| Dur | ation: Three hours | | | Maximum: 10 | 0 Marks | |
| | | Answer | ALL Questions | | | |
| | | PART A - (| $10 \times 1 = 10 \text{ Marks}$ | | | |
| 1. | For quality control of | Portland cement, t | the test essentially done is | | CO1- U | |
| | (a) setting time | (b) soundness | (c) tensile strength | (d) all the a | above. | |
| 2. | of normal | CO1- U | | | | |
| | (a) 20% | (b) 25% | (c) 30% | (d) 40% | | |
| 3. | The commonly used material in the manufacture of cement is | | | | | |
| | (a) sand stone | (b) slate | (c) lime stone | (d) graphite | e. | |
| 4. | Which method is the r | nost common and | cheaper for water curing? | | CO1- U | |
| | (a) Ponding (b) Sprink | | (c) Mist curing | (d) Wet co | vering | |
| 5. | What is the approx. m | ix proportion for I | M15? | | CO1- U | |
| | (a) 1:3:6 | (b) 1:2:4 | (c) 1:1.5:3 | (d) 1:1:2 | | |
| 6. | has designated the concrete mixes into a number of grades as M10, M15 | | | | | |
| | (a) IS 456-2000 | (b) IS 456-2010 | (c) IS 513-1999 | (d) IS 465- | 2000 | |
| 7. | The cement concrete, from which entrained air and excess water are removed after placing it in position, is called | | | | | |
| | (a) Vacuum concrete | (b) LWC | (c) Prestressed concrete | (d) Sawdust co | oncrete | |
| | | | | | | |

| 8. | Strength Concrete is | | | as compared to Norma | Ц | COI- U | | |
|-----|---|---|---|---|------------------|---------|--|--|
| | (a) I | Less brittle | (b) Brittle | (c) More brittle | (d) Highly | ductile | | |
| 9. | Но | How many types of sulphates attack occur in concrete? | | | | | | |
| | (a) 1 | 1 | (b) 2 | (c) 3 | (d) 4 | | | |
| 10. | Wł | nich of the following | CO1- U | | | | | |
| | | | | | (d) Iron oxide | | | |
| | | | PART – B | 3 (5 x 2= 10 Marks) | | | | |
| 11. | Wha | at is the purpose of | CO1- U | | | | | |
| 12. | Wha | at are the considera | CO1- U | | | | | |
| 13. | Wha | at is meant by stati | t is meant by statistical quality control? | | | | | |
| 14. | Wha | at are the special n | CO1- U | | | | | |
| 15. | Wha | at is the role of cov | CO1- U | | | | | |
| | | | PART – | C (5 x 16= 80 Marks) | | | | |
| 16. | (a) | Briefly explain n | nanufacturing pro | ocedure of concrete. | CO1- U | (16) | | |
| | | | O: | | | | | |
| | (b) Identify the suitable admixtures that extend the workability time of concrete during bridge construction. | | | | | (16) | | |
| 17. | (a) | Suggest the suita defects in R.C.C | | d to reveal subsurface voids and | d CO2- App | (16) | | |
| | (1.) | 10 | O: | | G02 A | (1.6) | | |
| | (b) If you are a site engineer, how can you assess the quality of the concrete being used in the construction of a 12-story building in Madurai? What methods have you used to assess concrete quality? | | | | | (16) | | |
| 18. | (a) | (measured on stamm, Ordinary Powell - shaped, a 1600 kg/m3, and | andard cylinders) ortland Cement be ngular aggregate I its specific gra ineness modulus | n 28-day compressive strength of 30 Mpa and a slump of 50 eing used. The maximum size of e is 20 mm, its bulk density is evity is 2.64. The available fine of 2.60 and a specific gravity of | o f s e | (16) | | |

Or

(b) Design the mix proportioning for a concrete of M70 grade using CO3-App (16)silica fume and fly ash is given below. Use of silica fume is generally advantageous for grades of concrete M50 and above and for high performance concrete with special requirements, like higher abrasion resistance of concrete a) Grade designation: M 70 b) Type of cement: OPC 53 grade conforming to IS 269 c) Silica fume: Conforming to IS 15388 d) Maximum nominal size of aggregate: 20 mm e) Exposure conditions as per Table 3 and Table 5 of IS 456: Severe (for reinforced concrete) f) Workability: 120 mm (slump) g) Method of concrete placing: Pumping h) Degree of supervision: Good j) Type of aggregate: Crushed angular aggregate k) Maximum cement (OPC) content: 450 kg/m3 m) Chemical admixture type: Super plasticizer (Polycarboxylate ether based) 19. (a) Explain in detail about Geo polymer concrete CO1- U (16)Or (b) Explain in detail about self-compacting concrete CO1- U (16)(a) Explain in detail about factors affecting durability of concrete

Or

(b) Classify the methods to be used for depositing concrete under CO1-U

20.

water construction

CO1- U

(16)

(16)