

C

Reg. No. :

--	--	--	--	--	--	--	--	--	--

Question Paper Code: 95504

B.E./B.Tech. DEGREE EXAMINATION, NOV 2024

Fifth Semester

Computer Science Engineering

19UCS504 – THEORY OF COMPUTATION

(Regulation 2019)

Duration: Three hours

Maximum: 100 Marks

Answer ALL Questions

PART A - (5 x 1 = 5 Marks)

- Let L be a set accepted by a nondeterministic finite automaton. The number of states in non-deterministic finite automaton is $|Q|$. The maximum number of states in equivalent finite automaton that accepts L is..... CO1- U
(a) $|Q|$ (b) $2|Q|$ (c) 2 raise to power $|Q|$ (d) $4|Q|$
- Regular expression Φ^* is equivalent to..... CO1- U
(a) ϵ (b) Φ (c) 0 (d) 1
- Given the following Context-Free Grammar (CFG), $G = (\{S, T\}, \{(,), a, b\}, S, P)$ with productions P:
 $S \rightarrow (T) | a$
 $T \rightarrow (S) | b$ Which of the following are in the language of G (i.e. are elements of $L(G)$)? CO1- U
(a) ((a)) (b) (b)) (c) a(b) (d) b
- The push down automata indicate the acceptance of input string in terms of CO1- U
(a) Final state (b) Empty Stack (c) Both (a) and (b) (d) None of the mentioned
- TM is a mathematical model of ----- CO1- U
(a) Calculator (b) Computer (c) Compiler (d) Interpreter

PART – B (5 x 3= 15 Marks)

- Construct a finite automata for the language $L = \{ 0^n / n \bmod 3 = 2, n \geq 0 \}$ CO4- App

7. Write RE for CO1- U
- (i) All strings beginning with '11' and ending with 'ab'
- (ii) Set of all strings that end with '1' and has no substring '00'
- (ii) Set of all strings over $\{0,1\}$ with 3 consecutive 1's.
8. Find the language of the grammar $S \rightarrow aSb \mid aAb$, $A \rightarrow bAa$, $A \rightarrow ba$. CO5- Ana
9. Define ID of PDA. CO1- U
10. Design a TM for Zero function. CO4- App

PART – C (5 x 16= 80Marks)

11. (a) (i) Design a DFA to accept strings of a's and b's having even no of a's and odd no of b's and to check whether the string $w_1 = abaa$ is accepted or not. CO4-App (6)

- (ii) Construct the equivalent DFA for the following NFA. CO2-App (10)

	0	1
$\rightarrow p$	{p,q}	{p}
q	{r,s}	{t}
r	{p,r}	{t}
*s	ϕ	ϕ
*t	ϕ	ϕ

Or

- (b) (i) Convert the following ϵ -NFA to its equivalent DFA CO2- App (12)

	ϵ	0	1	2
$\rightarrow q_0$	{q ₁ }	{q ₀ }	ϕ	ϕ
q ₁	{q ₂ }	ϕ	{q ₁ }	ϕ
*q ₂	ϕ	ϕ	ϕ	{q ₂ }


- (ii) Construct NFA with ϵ , that end with string 11 for the set of all Strings $\{0,1\}$ CO4-App (4)

12. (a) (i) Verify the following languages are regular or not using Pumping lemma. CO2-App (8)

(a) $L = \{ 0^n 1^n \mid n \geq 0 \}$

(b) $L = \{ WW^R \mid W \text{ is in } \{a,b\}^* \}$.

- (ii) Construct a regular grammar that generates the language accepted by this finite state automaton. CO5-Ana (8)



Or

- (b) Find the minimized DFA for the following regular expression $(a/b)^*abb$. CO2- App (16)

13. (a) (i) Consider the following productions: CO2- App (8)

$$\begin{aligned}
 S &\rightarrow aB \mid bA \\
 A &\rightarrow aS \mid bAA \mid a \\
 B &\rightarrow bS \mid aBB \mid b.
 \end{aligned}$$

For the string $aaabbabbba$, find a leftmost derivation, rightmost derivation and draw derivation tree.

- (ii) Show that the grammar $S \rightarrow a \mid abSb \mid aAb$, $A \rightarrow bS \mid aAAb$ is ambiguous. CO5-Ana (8)

Or

- (b) (i) Convert the Grammar $G = (\{A_1, A_2, A_3\}, \{a, b\}, P, A_1)$ into Greibach Normal Form, where P consists of the following: CO2- App (10)

$$\begin{aligned}
 A_1 &\rightarrow A_2A_3, \\
 A_2 &\rightarrow A_3A_1 \mid b, \\
 A_3 &\rightarrow A_1A_2 \mid a.
 \end{aligned}$$

- (ii) Find a Grammar in Chomsky Normal Form equivalent to $S \rightarrow aAbB$; $A \rightarrow aA \mid a$; $B \rightarrow bB \mid b$. CO2- App (6)

14. (a) (i) Construct a PDA for the language $L = \{a^m b^m \mid m \geq 0\}$ CO4- App (8)

- (ii) Construct a PDA for the given grammar and check the validation of "010" CO5-Ana (8)

$$\begin{aligned}
 S &\rightarrow A1B \\
 A &\rightarrow 0A \mid \epsilon \\
 B &\rightarrow 0B \mid 1B \mid \epsilon
 \end{aligned}$$

Or

- (b) (i) Convert the PDA $M = (\{q_0, q_1\}, \{0, 1\}, \{X, Z_0\}, \delta, q_0, Z_0, \Phi)$ into Grammar. Where δ is defined as
- a. $\delta(q_0, 0, Z_0) = (q_1, XZ_0)$
 - b. $\delta(q_0, 0, X) = (q_1, XX)$
 - c. $\delta(q_0, 1, X) = (q_1, \epsilon)$
 - d. $\delta(q_1, 1, X) = (q_1, \epsilon)$
 - e. $\delta(q_1, \epsilon, X) = (q_1, \epsilon)$
 - f. $\delta(q_1, \epsilon, Z_0) = (q_1, \epsilon)$

CO5-Ana (8)

- (ii) Prove that “If L is a context-sensitive language, then L is accepted by a linear bounded automaton”.

CO5-Ana (8)

15. (a) Design a Turing Machine M for $f(x,y) = x^*y$ and x,y are stored in the tape in the form $0^x 1 0^y 1$.

CO4- App (16)

Or

- (b) Construct a TM to perform reverse operation.

CO4- App (16)