

Reg. No. :

--	--	--	--	--	--	--	--	--	--	--	--

**Question Paper Code:U2M02**

B.E./B.Tech. DEGREE EXAMINATION, NOV 2024

Second Semester

Mechanical Engineering

21UMA202 - Calculus, Fourier Series And Numerical Methods

(Regulations 2021)

Duration: Three hours

Maximum: 100 Marks

Answer ALL Questions

PART A - (10 x 1 = 10 Marks)

1. Iteration method converges if  $|g'(x)|$  \_\_\_\_\_ CO6-U  
(a)  $>1$       (b)  $<1$       (c)  $=0$       (d)  $>0$
2. Newton's method also called \_\_\_\_\_ method. CO6-U  
(a) tangents      (b) slope      (c) secants      (d) false
3. The complementary function of  $(4D^2 - 3D - 1)y = 2 \sin 2x$  is \_\_\_\_\_. CO2-App  
(a)  $Ae^x + Be^{-\frac{x}{4}}$       (b)  $Ae^{-x} + Be^{5x}$       (c)  $(A+Bx)e^{2x}$       (d)  $Ae^x + Be^{4x}$
4.  $\frac{1}{D^2}(\cos x) =$  \_\_\_\_\_. CO2-App  
(a)  $\sin x$       (b)  $-\cos x$       (c)  $\cos x$       (d)  $\tan x$
5. Divergence of vector  $x^2 \vec{i} + y^2 \vec{j} + z^2 \vec{k}$  at  $(1, 2, -3)$  is \_\_\_\_\_. CO3- App  
(a) 4      (b) -4      (c) -3      (d) 0
6. If  $\phi = x^2 + y^2 - z - 10$  then  $|\nabla \phi|$  at  $(1, 1, 1)$  is \_\_\_\_\_. CO3- App  
(a)  $2\vec{i} + 2\vec{j} + \vec{k}$       (b)  $2\vec{i} + 2\vec{j} - \vec{k}$       (c) 3      (d) 9
7.  $\cos x$  is a periodic function with period \_\_\_\_\_. CO4-App  
(a)  $\pi$       (b)  $2\pi$       (c)  $\pi/3$       (d)  $2\pi/3$

8. If  $f(-x) = -f(x)$ , then  $f(x)$  is said to be an \_\_\_\_\_. CO6-U  
 (a) Odd Function    (b) Even Function    (c) Periodic function    (d) Self Reciprocal
9. Convolution theorem on Fourier Transform is  $F[f(x)*g(x)] =$  CO6-U  
 \_\_\_\_\_  
 (a)  $F(s).G(s)$     (b)  $f(s).g(s)$     (c)  $F(s)*G(s)$     (d)  $f(s)*g(s)$
10. If  $f(x)$  is an even function then  $\int_{-a}^a f(x)dx =$  CO6-U  
 (a) 0    (b)  $\frac{1}{2} \int_0^a f(x)dx$     (c)  $2 \int_0^a f(x)dx$     (d)  $\int_0^a f(x)dx$

PART – B (5 x 2= 10Marks)

11. State Newton's Iterative formula. CO6-U
12. Find the complete solution of  $(D^3 - 6D^2 + 11D - 6)y = 0$  CO2-App
13. Show that  $\nabla(r^n) = n r^{n-2} \vec{r}$ . CO3-App
14. Find  $b_n$  in the Fourier series of  $f(x) = |\cos x|$  in  $(0, 2\pi)$ . CO4-App
15. Find the Fourier Sine Transform of  $f(x) = e^{-x}, x > 0$  CO5-App

PART – C (5 x 16= 80Marks)

16. (a) (i) Solve for a positive root of  $3x - \cos x - 1 = 0$  by Newton's Raphson method. CO1-App (8)  
 (ii) Solve  $4x + 2y + z = 14$ ,  $x + 5y - z = 10$ ,  $x + y + 8z = 20$  by CO1- App (8)  
 Gauss Elimination method

Or

- (b) (i) Using Power method find numerically largest Eigen value of CO1- App (8)  

$$\begin{pmatrix} 25 & 1 & 2 \\ 1 & 3 & 0 \\ 2 & 0 & -4 \end{pmatrix}$$
  
 (ii) Solve  $28x + 4y - z = 32$ ;  $x + 3y + 10z = 24$ ;  $2x + 17y + 4z = 35$  by CO1- App (8)  
 Gauss Seidal method.

17. (a) (i) Using method of variation of parameters solve CO2-App (8)  
 $(D^2 + a^2)y = \sec ax$   
 (ii) Solve  $(D^2 - D - 6)y = 3e^{4x}$  CO2-App (8)

Or

(b) (i) Solve  $(D^2 - 3D + 2)y = 2e^x + 2\cos 2x$  CO2 -App (8)

(ii) If the population of a country double in 50 years, in how many years will it triple under the assumption that the rate of increase of proportional to the number of inhabitants? CO2 -App (8)

18. (a) Verify Gauss divergence theorem for the vector function CO3-App (16)

$$\vec{F} = 4xz\vec{i} - y^2\vec{j} + yz\vec{k}$$
 over the cube bounded by

$$x = 0, y = 0, z = 0 \text{ and } x = 1, y = 1, z = 1$$

Or

(b) (i) Prove that  $\bar{F} = (x^2 + xy^2)\vec{i} + (y^2 + x^2y)\vec{j}$  is irrotational vector and find the Scalar potential such that  $\bar{F} = \nabla\phi$ . CO3-App (8)

(ii) Evaluate Green's theorem for  $\int (x^2 - y^2)dx + 2xydy$ , where CO3-App (8)  
C is bounded by  $x = 0, x = a, y = 0 \text{ and } y = b$

19. (a) Find the Fourier series of  $f(x) = x+x^2$  in  $(-\pi, \pi)$  of periodicity  $2\pi$ . CO4-App (16)

Or

(b) (i) The table of values of the function  $y = f(x)$  is given below: CO4-App (8)

x:	0	1	2	3	4	5
Y:	4	8	15	7	6	2

Find a Fourier series up to the third harmonic to represent  $f(x)$  in terms of  $x$ .

(ii) Find the half range sine series for  $f(x) = x^2$  in  $(0, l)$  CO4-App (8)

20. (a) Find the Fourier transform of  $f(x) = \begin{cases} 1 - |x|, & \text{if } |x| \leq 1 \\ 0 & \text{if } |x| > 1 \end{cases}$  and hence CO5-App (16)

deduce that i)  $\int_0^\infty \left( \frac{\sin t}{t} \right)^2 dt = \frac{\pi}{2}$ .

Or

(b) (i) Find the Fourier sine & cosine transform of  $e^{-ax}$

CO5- App (8)

(ii) Evaluate  $\int_0^{\infty} \frac{dx}{(x^2 + 25)^2}$

CO5- App (8)