

C

Reg. No. :

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Question Paper Code:U4307

B.E. / B.Tech. DEGREE EXAMINATION, NOV 2025

Professional Elective

Electronics and Communication Engineering

21ECV307- SMART SENSOR NETWORKS

(Regulations 2021)

Duration: Three hours

Maximum: 100 Marks

Answer ALL Questions

PART A - (5 x 1 = 5 Marks)

1. Reconfigurable sensor nodes which are_____. CO1-U
(a) Self-aware (b) Self-reconfigurable
(c) autonomous (d) All of the above
2. SQTL organize the sensor data in nodes by_____. CO1-U
(a) hierarchical clustering (b) attribute-based naming
(c) a spreadsheet paradigm (d) All of the above
3. _____Signal is transmitted by the sensor node equipped with GPS to CO1-U
determine unknown node location
(a) Beacon (b) non-beacon (c) Both a & b (d) None of the above
4. _____technique creates and maintain a data cache to be CO1-U
used for local loss recovery and in-sequence data delivery.
(a) PSFQ (b) ESRT (c) CODA (d) All of the above
5. _____power management is used to shut down devices when they are not CO1-U
needed and wake them when necessary
(a) Active (b) Idle (c) Both a & b (d) None

PART – B (5 x 3= 15 Marks)

6. Specify the technology fields that must advance and mature for collaborative CO1-U
network processing of sensor signals.

7. Specify the TinyDB query to collect the average temperature from each CO3-App building.
8. Compose a query to identify the region where the temperature exceeds 100 CO4-App degrees Celsius.
9. Classify the transport protocol depending on the data rate adjustment. CO1-U
10. Examine the aspects that have an impact on a network's lifespan CO1-U

PART – C (5 x 16= 80 Marks)

11. (a) Illustrate how a network resource manager is utilized in sensor CO1-U (16) networks, which need to be highly fault tolerant, reliable in gathering data, performing in real time, and being autonomous.

Or

- (b) (i) Describe the feasibility of rebinding and remapping operations on CO1-U (16) other processors in a real-time computer while isolating the problematic processor. (8m)
- (ii) Examine the different approaches of sensor node to engage in communication for the data transfer. (8m)
12. (a) A user from a state emergency management agency may send a CO3-App (16) query to the flood sensor database. For the next three hours, retrieve every 10 minutes the maximum rainfall level in each country in southern California, if it is greater than 3.0 inches. Write a SQL Query to fetch the data from flood sensor database and discuss it.

Or

- (b) Assume a sensor network is installed in the northeastern quadrant of CO3-App (16) the forest to monitor empty bird nests and tell me every hour if the number of empty nests exceeds a threshold of 10. Create a SQL Query for the above scenario and elaborate it.
13. (a) Develop a SCTL script for the coordinated vehicle tracking CO4-App (16) algorithm.

Or

- (b) Design a wireless sensor network for forest fire detection and CO4-App (16) illustrate it.
14. (a) Design a reliable and energy efficient transport protocol to meet the CO2-App (16) needs of emerging reliable data applications in sensor networks.

Or

- (b) Assume that 100 motes with minimum battery lifetime are placed in a crop field which form clusters and transfer the sensor data (temperature, Humidity and moisture level) to sink. Design an energy efficient routing protocol to improve the life time of a wireless sensor network. CO2-App (16)
15. (a) Elaborate the idle power management states with neat diagram. CO1-U (16)
- Or
- (b) Elucidate System-level power savings from active power management using DVS. CO1-U (16)

